





Desalination powered Renewable Energies: Opportunities for Algeria



Virtual Event

Desalination Using Renewable Energy
7th June 2021

Dr. Nadjib DROUICHE
Centre de Recherche en Technologie des Semi-Conducteurs
pour l'Energétique (CRTSE)
Email: drouichenadjib@crtse.dz

Outlines

- Water challenges in Algeria
- Desalination in Algeria
 - Implemented projects
 - ► Carbon Foot Print Assessement of Desalination
- Industry in Algeria.
- RE in Algeria
 - Implemented projects
 - Case studies
 - Feasibility study of grid-connected photovoltaic system for seawater desalination plant in Algeria (case of Maqtaa)
 - ▶ Pilot scale reverse osmosis desalination at the village of Hassi-khebi

Water challenges in Algeria

- Growing demand driven by population growth and rural-to-urban migration.
- Little rainfall; affecting the water reservoirs.
- Uneven spatial distribution of water resources
- ► The effects of climate change on precipitation patterns which led continuous droughts.
- up to 30 per cent of water is lost in transit.
- Relying on seawater Desalination and wastewater reuse became a necessity.




Figure 1. Water desalination plants location

Algerian Desalination capacity: around 2.2 millions m3/day (aec.dz)

Large scale desalination plants

| Location | Capacity (m³/d) | Commissioning | Partners |
|------------|-----------------|---------------|--|
| Kahrama | 86.680 | Since 2006 | J.Burrow Ltd: 05% |
| Hamma | 200.000 | Since 2008 | GE Ionics "USA" : 70% |
| Skikda | 100.000 | Since 2009 | Geida (Befesa/Sadyt) "Spain" : 51% |
| Beni Saf | 200.000 | Since 2010 | Cobra/Spain": 51% |
| Souk Tlata | 200.000 | Since 2011 | TDIC (Hyflux/Malakoff) "Singapore" : 51% |
| Fouka | 120.000 | Since 2011 | AWI (Snc Lavalin/Acciona): 51% |
| Mostaganem | 200.000 | Since 2011 | Inima / Aqualia "Spain" : 51% |
| Honaine | 200.000 | Since2012 | Geida (Befesa/Sadyt "Spain" : 51% |
| Cap Djinet | 100.000 | Since 2012 | Inima / Aqualia "Spain" : 51% |
| Ténes | 200.000 | Since 2012 | Befesa "Espagne": 51% |
| magtaa | 500.000 | Since 2015 | Hyflux "Singapore": 47%, ADE "10% |
| Total | 2.106.680 | | |


providing drinking water daily to 5 million people.

Carbon Foot Print Assessement of Desalination

- Desalination plants CO₂ emissions:
- Around 500.000 tons CO₂/year (Mohammedi, 2014)
- Comparison with Australia: 1,193 kt CO₂e (Heihselet al., 2019)

▶ Algeria is committed to reduce its GHG by 7%

Status of renewable energy projects implemnted in Algeria



Source: SKTM

Total installed capacity of renewable energy in Algeria

| Centrales | P. Inst | Production (GWh) | | | |
|--------------------------------|---------|------------------|--|--|--|
| Centrales | (MW) | à juin 2017 | | | |
| 3- Réseau RIN | | | | | |
| Oued Nechou PV (Ghardaia) | 1,1 | 4,593 | | | |
| Sedret Leghzel (Naâma) | 20 | 40,715 | | | |
| Oued El kebrit (Souk Ahras) | 15 | 28,900 | | | |
| Ain Skhouna (Saida) | 30 | 14,213 | | | |
| Ain El Bel (Djelfa) 1 et 2 | 53 | 25,134 | | | |
| Lekhneg (Laghouat) 1 et 2 | 60 | 53,576 | | | |
| Telagh (Sidi-Bel-Abbes) | 12 | 7, 417 | | | |
| Labiodh Sidi Chikh (El-Bayadh) | 23 | 19,146 | | | |
| El Hdjira (Ouargla) | 30 | 9,738 | | | |
| Ain-El-Melh (M'Sila) | 20 | 16,473 | | | |
| Oued El Ma (Batna) | 02 | - | | | |
| Total SKTM (EnR) | 354,3 | 470,318 | | | |

Source: https://www.sktm.dz/?page=article&id=56

Feasibility study of grid-connected photovoltaic system for seawater desalination plant in Algeria (case of Maqtaa)

Data sheet of Tahlyiat Miyah Maqtaa Desalination Plant


| Location | District Marsat El Hadjadj common Magtaa, Oran | |
|-------------------------------|---|--|
| Project owner | Tahlyat Myah Magtaa stock company | |
| Constructor | Hyflux (singapore) | |
| Operator | Hyflux OMA | |
| Treatment process | Reverse osmosis with energy exchanger | |
| Production capacity | 500,000 m³/d | |
| Power consumption | 3.2 kWh/m ³ | |
| Amount of project | 492 M\$ | |
| Component of the station | 25 modules of 21,000 m ³ /d unit production, 24 modules in | |
| | prduction, and 1 on standly | |
| | 288 units PX energy interchanges | |
| Quality of the water produced | Complies to the OMS standards | |
| Start of operation | Commissioned in 2015 | |
| The associated | Hyflux: Singaporean company 49%. AEC: Algerian Energy | |
| | Company 51% | |
| Customer | Contract of sale and purchase of water: TMM - Sonatrach - | |
| | SIOR (jointly) | |

Source: Ait Mimoune Hamiche et al., Water Resources in Algeria: Part II: Water Quality, Treatment, Protection and Development, Hdb Env Chem, DOI 10.1007/698_2020_538, © Springer Nature Switzerland AG 2020

Estimation of the Cost of Water with the PV Generator versus the use of electricity based fossil fuel

Decomposition of the production cost per item of expenditure.

The contractual price of m³ of water of the project with the connection to the grid of Sonelgaz is 45 DA/m³ (0,43€/m³).



The new cost of m³ is estimated at 374 DA.

| Global investment (€ 3887 million) € 368 million (initial investment) + 25 x 140.76 M€ (photovoltaic investment) | | | | | |
|--|--|--------|--|--|--|
| Estimated cost per m3 of freshwater €/m³ | | | | | |
| Investment 7,774 €/m3/d 20 years at 5% 95% of avaibility | (7,774 x 0.08)/(365x0.95) = 1.79 €/m ³ | 51.07% | | | |
| Electric power | 0 €/m³ | 0% | | | |
| Operating and maintenance 5% of the investment | 7,774 x 0.05)/(365x0.95) = 1.12 €/m ³ | 31.95% | | | |
| Personal cost | 0.245 €/m³ | 7% | | | |
| Total cost | 3.505 €/m³ | 100% | | | |

Pilot scale reverse osmosis desalination at the village of Hassi-khebi

Site characteristics:

- ▶ latitude: 29'11, longitude: So21 west
- raw water: brackish, salinity: 3.5 g/l
- solar radiation: 6071 Wh/d minimum,
- > 7510 Wh/d maximum
- number of inhabitants: about 800

Experimental installation and testing:

- Reverse osmosis unit
- Photovoltaic generator
- Energy storage and regulation system
- Raw and fresh water storage system

Sadi and Kehal, Desalination 152 (2002) 51-56



RO unit

This installation produces nearly 1000 I/h of fresh water from underground brackish water.



Photovoltaic generator

Unit of Hassi Khebi with reverse osmosis associated with a PV generator.



Concluding remarks

- Desalination is an energy-intensive technology. When powered by fossil fuel, high carbon emissions ensue.
- Economic requirements and population growth are the drivers of desalination and carbon emission in the first place.
- Substitution of fossil energies by renewable energies can thus be the game changer for the sustainability of desalination. Especially regions affected by climate change.
- Policy must act and focus on the energy sector. The key is the transformation of the electricity sector and the change in the current energy mix with a drastic increase in the share of renewable energies.